

Diffraction Elastic Constants – Measurement and Calculation

¹Thomas Gnaupel-Herold, ²Adam A. Creuziger

¹NIST Center for Neutron Research, 100 Bureau Dr M/S 6102, Gaithersburg, MD 20899-6102

¹NIST Materials Measurement Laboratory, 100 Bureau Dr M/S 6420, Gaithersburg, MD 20899-6420

An overview of common methods of DEC calculation is given including Reuss, Modified Voigt, Hill, Self-Consistent and Geometric Average. The models are put to the test in X-ray measurements of applied stress using a custom load frame. Sample materials include ferritic steels with varying degrees of preferred orientation as well as materials with other crystal structures.